



**GF.30.052**



**DESCRIZIONE - DESCRIPTION**

SUPPORTO CON SUPPORTO  
PIEGATO

Conforme alle direttive ROHS -  
REACH e prodotto secondo  
DIN 14620 / UNI EN 4148

HOLDER WITH FOLDED  
BACKING

Compliant with ROHS - REACH  
directives and manufactured  
according to DIN 14620 / UNI  
EN 4148

SUPPORT AVEC SUPPORT PLIÉ

Conforme à ROHS - REACH et  
fabriqué selon DIN 14620 / UNI  
EN 4148

**CATEGORIE - CATEGORIES - CATÉGORIES**

Accessori per fari rotanti, flash e led





Articolo	1 polo	2 poli
GF.30.052	*	
GF.30.652		*



## INFORMAZIONI PRODOTTO - DATASHEET - FICHE TECHNIQUE

<b>Supporto</b>	Acciaio
<b>Preso</b>	OT 67 H20
<b>Tipologia Contatti</b>	Faston lamellare maschio 6.3×0.8mm
<b>Cappuccio protezione</b>	Gomma
<b>Scatola</b>	40 pezzi – peso netto 10 kg – peso lordo 10,5 kg dim. 40x30x10h cm
<b>Bancale</b>	2160 pezzi – peso netto 540 kg – peso lordo 576 kg dim. 80x120x115h cm