



GF.30.053



DESCRIZIONE - DESCRIPTION

SUPPORTO CON SUPPORTO
PIEGATO DA AVVITARE

Conforme alle direttive ROHS -
REACH e prodotto secondo
DIN 14620 / UNI EN 4148

HOLDER WITH BENT
SUPPORT FOR SCREWING

Compliant with ROHS -
REACH and manufactured
according to DIN 14620 / UNI
EN 4148

SUPPORT AVEC SUPPORT
COUDÉ POUR LE VISSAGE

Conforme à ROHS - REACH et
fabriqué selon DIN 14620 / UNI
EN 4148

CATEGORIE - CATEGORIES - CATÉGORIES

Accessori per fari rotanti, flash e led





Articolo	1 polo	2 poli
GF.30.053	+	
GF.30.653		-



INFORMAZIONI PRODOTTO - DATASHEET - FICHE TECHNIQUE

Supporto	Acciaio
Presi	OT 67 H20
Tipologia Contatti	Faston lamellare maschio 6.3x0.8mm
Cappuccio protezione	Gomma
Scatola	40 pezzi – peso netto 11 kg – peso lordo 11,5 kg dim. 40x30x10h cm
Bancale	2160 pezzi – peso netto 594 kg – peso lordo 630 kg dim. 80x120x115h cm